




# DINTERIA

Namibia Wissenschaftliche Gesellschaft  
Namibia Scientific Society



Beiträge zur Flora und Vegetation von Namibia  
Contributions to the Flora and Vegetation of Namibia

Nummer **27**  
Number **27**  
February 2002

# Dinteria

Number 27, February 2002

Edited by B.J. Strohbach  
National Botanical Research Institute  
P/Bag 13184  
Windhoek, Namibia  
e-mail: bens@mweb.com.na

Published by the Namibia Scientific Society  
P.O. Box 67  
Windhoek, Namibia  
e-mail: nwg@iafrica.com.na



Papers for this issue have been kindly reviewed by the following persons:

Coleen Mannheimer  
Renate Austerhöhle  
Marianne Strohbach  
Barbara Curtis  
Dr Erika Maass  
Dr Sarie Perold  
Pierre Smit  
Leon Lubbe  
J.N. de Klerk snr.  
Ben Strohbach

Cover: *Chamaegigas intrepidus*. Collage from photos by Mrs Ingrid Beutel, Prof. W. Hartung and Dr H. Heilmeier.

ISSN: 0012-3013

All rights reserved. No reproduction, copy or transmission of this publication may be made without written permission by the management of the Namibia Scientific Society, Windhoek. No paragraph of this publication may be reproduced, copied or transmitted save with written permission. Any person who does any unauthorised act in relation to this publication may be liable to criminal prosecution and civil claims for damages.  
The price of the various issues is determined by their content and presentation.

Printing:

## Back issues still available:

### No 1, 1968:

Giess, W.: Kurt Dinter  
- A short report on the vegetation of the Namib coastal area from Swakopmund to Cape Frio.  
- Die Gattung *Rhigozum* und ihre Arten in Südwestafrika.

### No 2, 1969:

Kers, L.E.: On *Spaeranthus similis* Kers sp. nov., *S. epigaeus* Schinz und *S. stuhlmannii* O. Hoffm. (Compositae), with notes on their distribution, branching and growth-habit.  
Smock, L., Some observations on *Lindernia intrepidus* (Dinter) Oberm. (*Chamaegigas intrepidus* Dinter). Giess, W., Die Verbreitung von *Lindernia intrepidus* (Dinter) Oberm. in Südwestafrika.  
- Prodomus einer Flora von Südwestafrika.

### No 4, 1971, 3<sup>rd</sup> revised edition 1998:

Giess, W.: A Preliminary Vegetation Map of South West Africa.

### No 9, 1973:

Coetzee, H., Van der Schiiff, H.P. & Steyn, E., External morphology of the species of the South African Velloziaceae including a key based on external morphological characteristics.  
Van der Walt, J.J.A., A new specie of *Commiphora* from the Kaokoveld (South West Africa).

### No 10, 1974:

Giess, W., Zwei Fahrten zur *Jensenobotrya lossowiana* Herre. Robinson, E.R. & Giess, W., Report on the plants noted in the course of a trip from Lüderitz Bay to Spencer Bay, January 10-12, 1974.  
Coetzee, H., Anatomy of the leaves of the Velloziaceae in South West Africa and a key based on leaf anatomy. Giess, W., Beobachtungen zur Südwestafrika Flora.

### No 12, 1976:

Leach, L.C., *Euphorbia* (Tetracanthae) in Angola and northern Kaokoland.

### No 13, 1977:

Brückner, V., Über einige Inhaltsstoffe der Wolfsmilchgewächse unter besonderer Berücksichtigung der Krebsverstärker.

### No 14, 1978:

Puff, C., Zur Biologie von *Myrothamnus flabellifolius* Welw. (Myrothamnaceae).

### No 15, 1981:

Moisel, A. & Moll, E.J., A Braun-Balquet Survey of the vegetation of the Welwitschia Plain  
Giess, W., Die in der Zentralen Namib von Südwestafrika/Namibia festgestellten Pflanzenarten und ihre Biotope

### No 16, 1982:

Nordenstam, B., The Brandberg revisited.  
Giess, W., Weitere Neunachweise zur Flora des Brandberges. - Zur Verbreitung des Tabaks in Südwestafrika *Nictiana africana* Merxm.  
Moisel, L., Wanderungen im Brandbergmassiv, mit einem Nachtrag zur Pflanzenliste des Brandberges. Leach, L.C., A new species of *Euphorbia* from the Namib, South West Africa.  
Joubert, J.J., Steyn, P.L., Britz, T.J. & Wessels, D.C.J., Chemical composition of some Lichen species occurring in the Namib Desert, South West Africa.

### No 17, 1984:

Bruyns, P.V., *Ceropegia*, *Brachystelma* and *Tenaris* in South West Africa.  
Müller, M.A.N., *Brachystelma blepharathera* Huber - rediscovered after 70 years.  
Lavrinos, J.J. *Cerapegia* sp. from the winter rainfall area, South West Africa.

### No 18, 1986:

Büdel, B. & Wessels, D.C.J. *Parmelia hueana* Gyeln., a vragrant lichen from the Namib Desert, SWA/Namibia 1. Anatomical and reproductic adaptions.  
Gaff, D.F. & Giess, W., Drought resistance in water plants in rock pools of Southern Africa.

### No 19, 1987:

Zizka, G. Die Gräsergattungen *Rhynchelytrum* und *Tricholaena* in SWA/Namibia.  
Jacobsen, N.H.J. & Moss, H., A contribution to the flora of the Northern Namibia.  
Brinckmann, E. & Von Willert, D.J., Injury and reco- very of *Welwitschia mirabilis*.  
Musselman, L.H. & Visser, J.H., *Hydnora johannis* in Southern Africa.

### No 20, 1989:

Wessels, D.C.J., Lichens of the Namib Desert, South West Africa / Namibia I. The chasmoendolithic habitat.  
Rumrich, U., Rumrich, M. & Lange-Bertalot, H., Dia- tomeen auf Pflanzen in der Namib-Wüste und anderen ariden Gebieten von SWA/Namibia.  
Giess, W., Einiges zu unserer Flechtenflora.

### No 21, 1991:

Zizka, G., Das isolierte Vorkommen von *Melinis ambigua* Hackel in Namibia.  
Rumrich, U., Rumrich, M. & Lange-Bertalot, H., Dia- tomeen auf Pflanzen in der Namib.  
Eiseb, E., Giess, W. & Haacke, W.H.G., A Preliminary list of Khoekhoe (Nama/Damara) Plant Names.

### No 23, 1992

Proceedings of the First National Workshop on Plant Genetic Resources

### No 24, 1994:

Prendergast, H.D.V., Seeds at the Royal Botanic Gar den, Kew - from field to bank for users and the future.  
Stydom, P.J. & Smith, W.A., Effect of polyphenolics on the nutritional value of Namibia range forage.  
Günster, A., A contribution to the algal phytogeogra- phy of the southern African west coast - a case study at Elisabeth Bay, Namibia

### No 25, 1997:

Williamson, G., Preliminary account of the floristic zones of the Sperrgebiet (Protected Diamond Area) in south- western Namibia.  
Joubert, D.F., Grazing gradients in the Highland savanna of Namibia.  
Sullivan, S. & Konstant, T, Human impacts on woody vegetation, and multivariate analysis: a case study based on data from Khwarib settlement, Kunene Region.  
Rhode, R.F., Looking into the past: Interpretations of vegetation change in western Namibia, based on matched photography.

### No 26, 2000:

Antje Burke & Ben J. Strohbach, Review: Vegetation Studies in Namibia  
Antje Burke, Plant diversity of a man-made wetland – The Olushandja Dam in north central Namibia  
Ben J. Strohbach, Vegetation degradation trends in the northern Oshikoto region: I. The *Hyphaene petersiana* plains  
Ben J. Strohbach, Vegetation degradation trends in the northern Oshikoto region: II. The *Colophospermum mopane* shrublands  
Ben J. Strohbach, Vegetation degradation trends in the northern Oshikoto Region: III. The *Terminalia prunioides* woodlands and Andoni grasslands  
Ben J. Strohbach, Vegetation degradation trends in the northern Oshikoto Region: IV. The Broad-leafed savannas with associated pans  
Berit Hachfeld, Rain, fog and species richness in the Central Namib Desert in the exceptional rainy season of 1999/2000.  
Obituary: Heinrich Johann Wilhelm Giess (1910 – 2000)

# Dinteria

Number 27, February 2002

## Contents

<b>Hermann Heilmeier, Rainer Wolf, Robin Wacker, Markus Voitke and Wolfram Hartung:</b> Observations on the anatomy of hydrated and dehydrated roots of <i>Chamaegigas intrepidus</i> Dinter	1
<b>T. Bornefeld and O.H. Volk:</b> Annotations to a collection of liverworts (Hepaticae, Marchantiales) from Omaruru District, Namibia, during summer 1995	13
<b>F. P. Graz:</b> Description and Ecology of <i>Schinziophyton rautanenii</i> (Schinz) Radcl.-Sm. in Namibia	19
<b>D.F. Joubert and P.L. Cunningham:</b> The distribution and invasive potential of Fountain Grass <i>Pennisetum setaceum</i> in Namibia	37
<b>Ibo Zimmermann and Fidelis Nyambe Mwazi:</b> The effect of a prescribed burn, followed up with browsing pressure, on rangeland condition in the Mountain savanna and Karstveld of Namibia	49
Guide for Authors	59