



DINTERIA

Namibia Wissenschaftliche Gesellschaft
Namibia Scientific Society



Beiträge zur Flora und Vegetation von Namibia
Contributions to the Flora and Vegetation of Namibia

Nummer **28**
Number
May 2003

Dinteria

Number 28, May 2003

Edited by B.J. Strohbach
National Botanical Research Institute
P/Bag 13184
Windhoek, Namibia
e-mail: bens@mweb.com.na

Published by the Namibia Scientific Society
P.O. Box 67
Windhoek, Namibia
e-mail: nwg@iafrica.com.na



Papers for this issue have been kindly reviewed by the following persons:

Dr Gillian Maggs-Kölling
Herta Kolberg
Barbara Curtis
Dr John Irish
Ben Strohbach

Cover photo: Inselberg vegetation on the slopes of Gross Spitzkoppe by Antje Burke.

ISSN: 0012-3013

ISBN: 99916-40-40-1

All rights reserved. No reproduction, copy or transmission of this publication may be made without written permission by the management of the Namibia Scientific Society, Windhoek. No paragraph of this publication may be reproduced, copied or transmitted save with written permission. Any person who does any unauthorised act in relation to this publication may be liable to criminal prosecution and civil claims for damages.

The price of the various issues is determined by their content and presentation.

Printing: Typoprint, Windhoek, Namibia

Back issues still available:

No 1, 1968:

Giess, W.: Kurt Dinter
-. A short report on the vegetation of the Namib coastal area from Swakopmund to Cape Frio.
-. Die Gattung *Rhigozum* und ihre Arten in Südwestafrika.

No 2, 1969:

Kers, L.E.: On *Spaeranthus similis* Kers sp. nov., *S. epigaeus* Schinz und *S. stuhlmannii* O. Hoffm. (Compositae), with notes on their distribution, branching and growth-habit.
Smock, L., Some observations on *Lindemia intrepidus* (Dinter) Oberm. (*Chamaeigigas intrepidus* Dinter). Giess, W., Die Verbreitung von *Lindemia intrepidus* (Dinter) Oberm. in Südwestafrika.
- Prodrum einer Flora von Südwestafrika.

No 4, 1971, 3rd revised edition 1998:

Giess, W.: A Preliminary Vegetation Map of South West Africa.

No 9, 1973:

Coetzee, H., Van der Schiiff, H.P. & Steyn, E., External morphology of the species of the South African Velloziaceae including a key based on external morphological characteristics.
Van der Walt, J.J.A., A new species of *Commiphora* from the Kaokoveld (South West Africa).

No 10, 1974:

Giess, W., Zwei Fahrten zur *Jensenobotrya lossowiana* Herre. Robinson, E.R. & Giess, W., Report on the plants noted in the course of a trip from Lüderitz Bay to Spencer Bay, January 10 - 12, 1974.
Coetzee, H., Anatomy of the leaves of the Velloziaceae in South West Africa and a key based on leaf anatomy. Giess, W., Beobachtungen zur Südwestafrika Flora.

No 12, 1976:

Leach, L.C., *Euphorbia* (Tetracanthae) in Angola and northern Kaokoland.

No 13, 1977:

Brückner, V., Über einige Inhaltsstoffe der Wolfsmilchgewächse unter besonderer Berücksichtigung der Krebsverstärker.

No 14, 1978:

Puff, C., Zur Biologie von *Myrothamnus flabellifolius* Welw. (Myrothamnaceae).

No 15, 1981:

Moisel, A. & Moll, E.J., A Braun-Balquet Survey of the vegetation of the Welwitschia Plain
Giess, W., Die in der Zentralen Namib von Südwestafrika/Namibia festgestellten Pflanzenarten und ihre Biotope

No 16, 1982:

Nordenstam, B., The Brandberg revisited.
Giess, W., Weitere Neunachweise zur Flora des Brandberges.
-. Zur Verbreitung des Tabaks in Südwestafrika *Nictiana africana* Merxm.
Moisel, L., Wanderungen im Brandbergmassiv, mit einem Nachtrag zur Pflanzenliste des Brandberges. Leach, L.C., A new species of *Euphorbia* from the Namib, South West Africa.
Joubert, J.J., Steyn, P.L., Britz, T.J. & Wessels, D.C.J., Chemical composition of some Lichen species occurring in the Namib Desert, South West Africa.

No 17, 1984:

Bruyns, P.V., *Ceropegia*, *Brachystelma* und *Tenaris* in South West Africa.
Müller, M.A.N., *Brachystelma blepharathera* Huber - rediscovered after 70 years.
Lavranos, J.J. *Ceropegia* sp. from the winter rainfall area, South West Africa.

No 18, 1986:

Büdel, B. & Wessels, D.C.J. *Parmelia hueana* Gyeln., a vagrant lichen from the Namib Desert, SWA/Namibia 1. Anatomical and reproductive adaptations.
Gaff, D.F. & Giess, W., Drought resistance in water plants in rock pools of Southern Africa.

No 19, 1987:

Zizka, G. Die Gräsergattungen *Rhynchelytrum* und *Tricholaena* in SWA/Namibia.

Jacobsen, N.H.J. & Moss, H., A contribution to the flora of the Northern Namibia.

Brinckmann, E. & Von Willert, D.J., Injury and recovery of *Welwitschia mirabilis*.
Musselman, L.H. & Visser, J.H., *Hydnora johannis* in Southern Africa.

No 20, 1989:

Wessels, D.C.J., Lichens of the Namib Desert, South West Africa / Namibia I. The chasmoendolithic habitat.
Rumrich, U., Rumrich, M. & Lange-Bertalot, H., Diatomen als „Fensteralgen“ in der Namib-Wüste und anderen ariden Gebieten von SWA/Namibia.
Giess, W., Einiges zu unserer Flechtenflora.

No 21, 1991:

Zizka, G., Das isolierte Vorkommen von *Melinis ambigua* Hackel in Namibia.
Rumrich, U., Rumrich, M. & Lange-Bertalot, H., Diatomen auf Pflanzen in der Namib.
Eiseb, E., Giess, W. & Haacke, W.H.G., A Preliminary list of Khoekhoe (Nama/Damara) Plant Names.

No 23, 1992

Proceedings of the First National Workshop on Plant Genetic Resources

No 24, 1994:

Prendergast, H.D.V., Seeds at the Royal Botanic Garden, Kew - from field to bank for users and the future.
Stydom, P.J. & Smith, W.A., Effect of polyphenolics on the nutritional value of Namibia range forage.
Günster, A., A contribution to the algal phytogeography of the southern African west coast - a case study at Elisabeth Bay, Namibia

No 25, 1997:

Williamson, G. Preliminary account of the floristic zones of the Sperrgebiet (Protected Diamond Area) in south-western Namibia.
Joubert, D.F. Grazing gradients in the Highland savanna of Namibia.
Sullivan, S. & Konstant, T. Human impacts on woody vegetation, and multivariate analysis: a case study based on data from Khowarib settlement, Kunene Region.
Rhode, R.F. Looking into the past: Interpretations of vegetation change in western Namibia, based on matched photography.

No 26, 2000:

Burke, A. & Strohbach, B.J. Review: Vegetation Studies in Namibia
Burke, A. Plant diversity of a man-made wetland – The Olushandja Dam in north central Namibia
Strohbach, B.J. Vegetation degradation trends in the northern Oshikoto region: I. The *Hyphaene petersiana* plains
-. Vegetation degradation trends in the northern Oshikoto region: II. The *Colophospermum mopane* shrublands
-. Vegetation degradation trends in the northern Oshikoto Region: III. The *Terminalia prunioides* woodlands and Andoni grasslands
-. Vegetation degradation trends in the northern Oshikoto Region: IV. The Broad-leafed savannas with associated pans
Hachfeld, B. Rain, fog and species richness in the Central Namib Desert in the exceptional rainy season of 1999/2000.
Obituary: Heinrich Johann Wilhelm Giess (1910 – 2000)

No 27, 2002:

Heilmeyer, H., Wolf, R., Wacker, R., Woiitke, M. & Hartung, W. Observations on the anatomy of hydrated and dehydrated roots of *Chamaeigigas intrepidus* Dinter
Bornefeld, T. & Volk, O.H. Annotations to a collection of liverworts (Hepaticae, Marchantiales) from Omaruru District, Namibia, during summer 1995
Graz, F. P. Description and Ecology of *Schinziophyton rautanenii* (Schinz) Radcl.-Sm. in Namibia
Joubert, D.F. & Cunningham, P.L. The distribution and invasive potential of Fountain Grass *Pennisetum setaceum* in Namibia
Zimmermann, I. & Mwazi, N. The effect of a prescribed burn, followed up with browsing pressure, on rangeland condition in the Mountain Savanna and Karstveld

Dinteria

Number 28, May 2003

Contents

Cornelia Berry: Aspects of phenology and condition of inland and coastal !Nara plants in the Namib-Naukluft Park, Namibia	1
Antje Burke: Floristic relationships between inselbergs and mountain habitats in the central Namib	19
F. P. Graz: Research note: Fire damage to <i>Schinziophyton rautanenii</i> (Schinz) trees in North-eastern Namibia	39
F. P. Graz: Research note: The Growth of <i>Schinziophyton rautanenii</i> seedlings under different shade conditions	44
Guide for Authors	47